

## Early Journal Content on JSTOR, Free to Anyone in the World


This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.


Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.





The three forts of Trades, of which there died most, were Cossin-makers (which took measure of the dead Bodies) Surgeons, and Shoe-makers.

The Care that was taken, and the Medicines that were used, did great Service. I was told that Theriaca did little good; and they observed the same also at Dantzick.

XXXVIII. Some Anatomical Observations. By Mr. William Cheselden, Surgeon, F. R. S.

IG. 8. Tab. VI. shews the beginning of the Aorta, Tab. VI. or great Artery, from the Heart of a Woman who Fig. 8, &c. died of a Dropfy. A. is the Aorta. B. B. two Chalkstones which possessed the Place of the Semilunar Valves. The left Ventricle of the Heart was dilated to twice its Natural Magnitude. We supposed that these Stones occasioned the Dropsy, by obstructing the Valves, and hindring a regular Distribution of the Blood.

Fig. 9. shews a Bone taken from the Falx, or first Process of the Dura Mater, of a Man who died of violent

Head-aches.

Fig. 10. shews a Bone taken from the between the Ventricles of the Heart of a Man, who died Hydropic and Tabid. In this Body the whole Pericardium adher'd to the Heart.

Fig. 11. shews the Optick Nerves; the right Nerve being wasted and discoloured: The Eyes both appeared to be very good. I had not an opportunity of inquiring into the Case of this Person; but I suppose it must have been a Gutta Serena.

I opened another Eye of a Man who died of that Diftemper; in which I found that part of the Nerves, which is within the Cranium, crushed flat by the anterior Lobes of the Brain, their Ventricles being full of Lymph.

Fig. 12. shews three Spleens taken from one Bo-

dy.

Fig. 13. Two Spleens taken from a Man. Fig. 14. Two Spleens taken from a Woman.

N.B. That in all these three Cases of the Spleens, each had proper Vessels, but the Arteries only are there express'd; and that the Spleens in each Body taken together were but equal in Magnitude to the one we usually meet with.

A Heart, with the Vena Azygos inserted into the right Auricle; and the Descending Cava coming round the Basis of the Heart, above the Aorta and Pulmonary Vessels, to enter the Auricle at the lower part

with the Ascending Cava.

An Urcter double two Thirds of its length next the Kidneys, and distended by Stones passing through it.

The Tuba Fallopiana impermeable, and without Ala Vespertilionis; the outer Ends being connected to the Testes.